Table 1.A. - Preliminary Cod Landings by Stock Area

															2003/	2004*
	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 -	APR 04	May03-Apr04 as a % of	Target TAC
	1000 Lbs	1000 Lbs	Percent	Target TAC	1000 Lbs											
GULF OF MAINE	237	955	820	633	584	663	845	1,250	591	549	578	185	7,891	39%	134%	5,899
OTTER TRAWL	141	521	434	224	255	318	480	759	303	239	250	151	4,074	20%	69%	
GILLNET	78	409	373	383	309	331	347	396	219	243	247	25	3,361	17%	57%	
HOOK	3	17	2	11	9	7	5	53	49	48	52	7	264	1%	4%	
OTHER GEARS	16	8	11	16	10	7	14	42	19	19	29	2	193	1%	3%	
GEORGES BANK	1,014	2,072	1,108	1,198	592	660	591	766	491	477	1,067	2,053	12,089	61%	212%	5,694
OTTER TRAWL	968	1,744	433	305	374	573	450	530	328	423	1,015	1,995	9,139	46%	160%	
GILLNET	21	221	616	825	141	63	66	161	98	26	23	53	2,314	12%	41%	
HOOK	4	7	39	40	56	11	23	37	47	24	18	1	307	2%	5%	
OTHER GEARS	21	100	20	28	21	14	52	37	18	4	11	4	329	2%	6%	
ALL AREAS	1,250	3,027	1,928	1,831	1,176	1,324	1,436	2,016	1,082	1,027	1,646	2,238	19,980	100%	172%	11,593
OTTER TRAWL	1,108	2,265	867	529	629	891	930	1,289	631	662	1,265	2,145	13,212	66%	114%	
GILLNET	98	630	990	1,208	450	394	413	558	317	268	270	78	5,675	28%	49%	
HOOK	7	24	41	51	65	18	28	90	96	73	70	8	571	3%	5%	
OTHER GEARS	37	108	31	43	31	21	65	79	37	23	41	6	522	3%	5%	

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. State landings for 2003 have been updated and are complete.

4. State landings for CT are estimated for the Jan.2004 - April 2004 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

10/27/2004 0304_chy.xls

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2003 - Apr 2004

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF OF	MAINE	GEORGE	S BANK	OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent										
Portland, ME	1,839	1,122	61%	718	39%	1,314	71%	496	27%	24	1%	6	0%
Gloucester, MA	4,949	3,252	66%	1,697	34%	3,025	61%	1,694	34%	131	3%	98	2%
Boston, MA	621	139	22%	482	78%	615	99%	0	0%	2	0%	4	1%
New Bedford, MA	5,919	136	2%	5,783	98%	5,911	100%	3	0%	0	0%	5	0%
Point Judith, RI	129	2	2%	127	98%	123	95%	2	2%	0	0%	4	3%
MAINE	2,273	1,555	68%	718	32%	1,535	68%	703	31%	24	1%	11	0%
NEW HAMPSHIRE	1,371	1,368	100%	3	0%	559	41%	784	57%	4	0%	24	2%
MASSACHUSETTS	15,899	4,965	31%	10,933	69%	10,798	68%	4,153	26%	509	3%	439	3%
RHODE ISLAND	374	2	1%	371	99%	306	82%	34	9%	0	0%	34	9%
CONNECTICUT	11	0	0%	11	100%	10	94%	1	0%	0	0%	0	0%
NEW YORK	53	0	0%	53	100%	4	7%	0	0%	34	63%	15	29%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	19,980	7,891	39%	12,089	61%	13,212	66%	5,675	28%	571	3%	522	3%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

																/2004*
	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03	- APR 04	May03-Apr04 as a % of	Target TAC
	1000 Lbs	1000 Lbs	Percent	Target TAC	1000 Lbs											
GULF OF MAINE	145	277	152	129	125	146	197	252	174	186	494	40	2,317	15%		
OTTER TRAWL	139	236	138	114	113	122	187	232	140	154	198	27	1,801	12%		
GILLNET	2	32	11	7	3	18	5	4	4	11	152	4	252	2%		
HOOK	5	9	2	3	8	6	6	16	31	20	104	8	216	1%		
OTHER GEARS	0	0	1	5	0	0	0	0	0	0	40	1	49	0%		
GEORGES BANK	1,625	1,450	609	438	477	803	744	748	824	1,445	1,290	2,688	13,143	85%	51%	25,586
OTTER TRAWL	1,624	1,434	553	425	419	682	655	695	799	1,391	1,264	2,688	12,629	82%	49%	
GILLNET	0	14	51	6	2	1	2	2	2	0	0	0	81	1%	0%	
HOOK	0	0	4	7	57	120	86	35	23	40	9	0	381	2%	1%	
OTHER GEARS	0	2	1	0	0	0	1	15	0	15	17	0	52	0%	0%	
SNE/ MID-ATLANTIC	0	0	1	0	0	0	0	0	1	0	0	0	3	0%		
OTTER TRAWL	0	0	0	0	0	0	0	0	1	0	0	0	2	0%		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
									1		1			1		
ALL AREAS	1,770	1,727	762	567	603	949	941	1,000	999	1,632	1,785	2,728	15,463	100%		
OTTER TRAWL	1,763	1,670	691	540	532		842	928	940	1,545		2,715	14,431	93%		
GILLNET	2	46	62	13	5	19	7	6	5	12		4	333	2%		
HOOK	5	9	7	9	65		92	51	54	60		8	598	4%		
OTHER GEARS	0	2	2	6	1	0	1	15	0	15	57	1	100	1%		

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for 2003 have been updated and are complete.

4. State landings for CT are estimated for the Jan.2004 - April 2004 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

10/27/2004 0304_chy.xls

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 03 - Apr 04

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF OF	MAINE	GEORGE	S BANK	MID-AT	LANTIC	OTTER	TRAWL	GILL	.NET	нс	юк	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent												
Portland, ME	1,587	549	35%	1,038	65%	0	0%	1,520	96%	11	1%	17	1%	39	2%
Gloucester, MA	3,713	1,090	29%	2,621	71%	2	0%	3,331	90%	198	5%	131	4%	53	1%
Boston, MA	694	112	16%	581	84%	0	0%	694	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,900	103	1%	7,797	99%	0	0%	7,900	100%	0	0%	0	0%	0	0%
Point Judith, RI	145	0	0%	144	100%	0	0%	145	100%	0	0%	0	0%	0	0%
MAINE	1,664	626	38%	1,038	62%	0	0%	1,592	96%	16	1%	17	1%	39	2%
NEW HAMPSHIRE	90	90	100%	0	0%	0	0%	55	61%	27	30%	7	8%	1	0%
MASSACHUSETTS	13,246	1,601	12%	11,643	88%	3	0%	12,324	93%	289	2%	574	4%	59	0%
RHODE ISLAND	452	0	0%	452	100%	0	0%	450	100%	0	0%	0	0%	2	0%
CONNECTICUT	10	0	0%	10	100%	0	0%	10	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	15,463	2,317	15%	13,143	85%	3	0%	14,431	93%	333	2%	598	4%	100	1%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

															2003/	/2004*
	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03	- APR 04	as a % of	Target TAC
	1000 Lbs	1000 Lbs	Percent	Target TAC	1000 Lbs											
GULF OF MAINE	10	13	28	9	3	5	5	79	9	5	3	7	174	2%		
OTTER TRAWL	10	13	28	9	3	5	5	79	9	5	3	6	173	-70		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
CAPE COD	124	452	246	177	158	323	170	615	135	134	379	74	2,988	28%		
OTTER TRAWL	121	403	228	171	157	323	169	614	131	66		69	2,652	25%		
GILLNET	4	48	17	6	1	0	1	0	4	68	177	4	331	3%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	2	0	0	1	0	0	1	0	0	0	1	4	0%		
GEORGES BANK	1,124	441	343	248	100	160	1,104	969	665	755	213	835	6,955	66%	40%	17,288
OTTER TRAWL	1,123	438	342	248	100	160	1,104	969	665	755	213	835	6,951	66%	40%	
GILLNET	0	2	0	0	0	0	0	0	0	0	0	0	2	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	1	0	0	0	0	0	0	0	0	0	0	2	0%	0%	
				•	•		•	•		•	•			•		•
SNE/ MID-ATLANTIC	44	25	70	107	32	22	13	23	34	36	27	39	470	4%	119%	393
OTTER TRAWL	43	25	70	107	32	22	13	22	32	36	27	39	465	4%	118%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	2	0	0	0	3	0%	1%	
ALL AREAS	1,302	931	686	540	293	509	1,291	1,686	843	930	621	955	10,586	100%		
OTTER TRAWL	1,297	878	668		291	509	1,290	1,685	837	862			10,242			
GILLNET	4	50	18		1	0	1	0	4	68	178	5	335			
HOOK	0	0	0		0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	1	3	0	0	1	0	0	1	2	0	0	1	9	0%		

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for 2003 have been updated and are complete.

4. State landings for CT are estimated for the Jan.2004 - April 2004 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

10/27/2004 0304_chy.xls

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 03 - Apr 04

					STOCK	AREAS							GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF OF	MAINE	CAPE	COD	GEORGE	S BANK	SOUTHE ENGI	RN NEW -AND	OTTER '	TRAWL	GILI	LNET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	74	10	13%	7	9%	57	78%	0	0%	74	100%	0	0%	0	0%	0	0%
Gloucester, MA	1,002	47	5%	847	84%	105	10%	3	0%	843	84%	159	16%	0	0%	0	0%
Boston, MA	144	4	3%	95	66%	45	31%	0	0%	144	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,500	49	1%	1,152	15%	6,170	82%	130	2%	7,498	100%	0	0%	0	0%	1	0%
Point Judith, RI	407	10	2%	12	3%	217	53%	168	41%	405	100%	0	0%	0	0%	2	0%
MAINE	74	10	14%	7	9%	57	77%	0	0%	74	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	67	45	68%	21	32%	0	0%	0	0%	66	99%	1	0%	0	0%	0	0%
MASSACHUSETTS	9,578	108	1%	2,938	31%	6,394	67%	137	1%	9,238	96%	334	3%	0	0%	6	0%
RHODE ISLAND	729	10	1%	21	3%	492	68%	205	28%	726	100%	0	0%	0	0%	3	0%
CONNECTICUT	22	0	0%	0	0%	6	26%	16	74%	21	97%	0	0%	0	0%	1	0%
NEW YORK	115	0	0%	0	0%	6	5%	108	94%	115	100%	0	0%	0	0%	0	0%
NEW JERSEY	3	0	0%	0	0%	0	0%	3	100%	2	94%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	10,586	174	2%	2,988	28%	6,955	66%	470	4%	10,242	97%	335	3%	0	0%	9	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 -	APR 04
	1000 Lbs	1000 Lbs	Percent											
SNE/ NORTH	1,025	836	1,035	1,007	804	789	686	546	604	734	829	464	9,359	100%
OTTER TRAWL	811	482	363	420	389	512	466	433	528	526	783	363	6,078	65%
GILLNET	210	351	672	586	373	275	217	106	75	207	19	101	3,191	34%
HOOK	3	1	0	1	41	2	3	4	0	0	0	0	54	1%
OTHER GEARS	1	1	0	0	1	0	0	3	0	1	26	0	35	0%
MID-ATLANTIC	0	1	0	0	0	0	0	1	0	0	1	0	3	0%
OTTER TRAWL	0	1	0	0	0	0	0	0	0	0	0	0	2	0%
GILLNET	0	0	0	0	0	0	0	0	0	0	1	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	1,025	836	1,036	1,007	804	790	686	546	604	734	830	464	9,362	100%
OTTER TRAWL	811	483	364	420	389	512	466	433	528	526	783	363	6,080	65%
GILLNET	210	351	672	586	373	275	217	106	75	207	20	101	3,192	34%
HOOK	3	1	0	1	41	2	3	4	0	0	0	0	54	1%
OTHER GEARS	1	1	0	0	1	0	0	4	0	1	26	0	35	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2004 April 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 03 - Apr 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	SOUTHE ENGL		MID-ATI	ANTIC	OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	5,164	5,164	100%	0	0%	3,758	73%	1,365	26%	28	1%	13	0%
Gloucester, MA	1,954	1,954	100%	1	0%	883	45%	1,052	54%	5	0%	14	1%
Boston, MA	519	519	100%	0	0%	519	100%	0	0%	0	0%	0	0%
New Bedford, MA	374	374	100%	0	0%	373	100%	1	0%	0	0%	0	0%
Point Judith, RI	11	11	99%	0	0%	11	100%	0	0%	0	0%	0	0%
MAINE	5,816	5,816	100%	0	0%	4,154	71%	1,619	28%	29	0%	14	0%
NEW HAMPSHIRE	528	528	100%	0	0%	55	10%	472	89%	0	0%	0	0%
MASSACHUSETTS	2,951	2,950	100%	1	0%	1,806	61%	1,100	37%	26	1%	19	1%
RHODE ISLAND	64	64	100%	0	0%	62	98%	0	0%	0	0%	1	2%
CONNECTICUT	2	1	75%	0	0%	1	75%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	1	94%	1	73%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	9,362	9,359	100%	3	0%	6,080	65%	3,192	34%	54	1%	35	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

2. State landings for CT are estimated for the Jan. 2004 - Apr. 2004 period.

- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 -	APR 04
	1000 Lbs	1000 Lbs	Percent											
GULF OF MAINE/ GB	268	785	521	609	541	438	396	325	266	235	261	201	4,844	99%
OTTER TRAWL	267	772	518	608	537	438	396	325	266	232	241	199	4,799	98%
GILLNET	1	9	2	1	1	0	0	0	0	2	17	1	34	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	3	1	0	3	0	0	0	0	0	3	1	11	0%
SNE / MID-ATLANTIC	7	6	8	1	2	0	0	0	2	2	0	7	35	1%
OTTER TRAWL	7	6	8	1	2	0	0	0	2	2	0	7	35	1%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
													·	
ALL AREAS	275	791	528	610	543	438	396	325	268	236	261	208	4,879	100%
OTTER TRAWL	274	779	525	609	539	438	396	325	268	234	241	206	4,833	99%
GILLNET	1	9	2	1	1	0	0	0	0	2	17	1	35	1%
HOOK	0			0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	3	1	0	3	0	0	0	0	0	3	1	11	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2004 April 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 03 - Apr 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	.NET	НО	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,573	1,571	100%	2	0%	1,569	100%	1	0%	0	0%	3	0%
Gloucester, MA	705	699	99%	6	1%	681	97%	23	3%	0	0%	0	0%
Boston, MA	395	395	100%	0	0%	395	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,148	1,131	98%	17	2%	1,148	100%	0	0%	0	0%	0	0%
Point Judith, RI	58	54	93%	4	7%	58	100%	0	0%	0	0%	0	0%
MAINE	2,259	2,255	100%	4	0%	2,251	100%	2	0%	0	0%	6	0%
NEW HAMPSHIRE	39	39	100%	0	0%	35	89%	4	11%	0	0%	0	0%
MASSACHUSETTS	2,465	2,441	99%	24	1%	2,434	99%	28	1%	0	0%	3	0%
RHODE ISLAND	112	106	95%	6	5%	110	98%	0	0%	0	0%	3	2%
CONNECTICUT	4	3	73%	1	27%	4	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,879	4,844	99%	35	1%	4,833	99%	35	1%	0	0%	11	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 -	APR 04
	1000 Lbs	1000 Lbs	Percent											
GULF OF MAINE	55	200	151	120	179	37	62	327	51	64	195	51	1,491	12%
OTTER TRAWL	53	164	122	102	138	33	59	327	51	49	129	50	1,276	10%
GILLNET	2	36	30	18	38	4	3	1	1	14	65	0	212	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	3	0	0	0	0	0	0	0	3	0%
GEORGES BANK	1,257	1,349	1,412	521	267	171	468	378	86	34	65	502	6,510	52%
OTTER TRAWL	1,256	1,341	1,412	521	267	171	468	377	86	34	65	502	6,499	52%
GILLNET	0		0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	_	0	ŭ	0	_	0	0	0	0	0	0	0	0%
OTHER GEARS	1	8	0	0	0	0	0	0	0	0	0	0	10	0%
SNE/ MID-ATLANTIC	608	433	423	453	505	869	698	168	85	72	80	198	4,593	36%
OTTER TRAWL	590		409		503		692	167	84	68	79		4,499	36%
GILLNET	6		13			0	6	1	0	4	0	17	72	1%
HOOK	0		0	· ·	0		0	0	0	0	0	0	1	0%
OTHER GEARS	12	3	1	0	0	0	1	1	0	0	0	2	21	0%
ALL AREAS	1,920	1,982	1,987	1,093	950	1,077	1,228	873	222	170	340	751	12,593	100%
OTTER TRAWL	1,899		1,942	1,061	908	, -	1,219	871	221	151	273		12,274	97%
GILLNET	8		43				8	1	1	19	66	17	284	2%
HOOK	0	-	0	ŭ	0		0	0	0	0	0	0	1	0%
OTHER GEARS	13	12	1	0	3	1	1	1	1	0	0	2	34	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2004 April 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 03 - Apr 04

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF O	FMAINE	GEORGE	S BANK	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	117	26	22%	73	62%	18	16%	117	100%	0	0%	0	0%	0	0%
Gloucester, MA	806	559	69%	175	22%	72	9%	656	81%	149	19%	0	0%	0	0%
Boston, MA	117	55	47%	52	44%	11	9%	117	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,700	192	2%	6,062	70%	2,446	28%	8,696	100%	1	0%	0	0%	3	0%
Point Judith, RI	692	0	0%	56	8%	636	92%	691	100%	0	0%	0	0%	0	0%
MAINE	117	26	22%	73	62%	18	16%	117	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	23	23	100%	0	0%	0	0%	16	71%	7	29%	0	0%	0	0%
MASSACHUSETTS	10,424	1,441	14%	6,306	60%	2,676	26%	10,133	97%	269	3%	1	0%	22	0%
RHODE ISLAND	988	0	0%	122	12%	866	88%	971	98%	9	1%	0	0%	9	1%
CONNECTICUT	214	0	0%	7	3%	207	97%	213	100%	0	0%	0	0%	0	0%
NEW YORK	395	0	0%	2	1%	393	99%	392	99%	0	0%	0	0%	3	1%
NEW JERSEY	433	0	0%	0	0%	432	100%	432	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	12,593	1,491	12%	6,510	52%	4,593	36%	12,274	97%	284	2%	1	0%	34	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 -	APR 04
	1000 Lbs	1000 Lbs	Percent											
GULF OF MAINE/ GB	455	937	1,009	591	595	495	446	338	355	585	556	508	6,870	98%
OTTER TRAWL	454	903	986	585	592	494	445	338	355	584	553	508	6,798	97%
GILLNET	0	29	15	6	2	1	1	0	0	0	0	0	53	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	5	7	0	1	0	1	0	0	1	3	0	19	0%
SNE/ MID-ATLANTIC	10	21	13	39	14	8	0	5	4	7	6	11	138	2%
OTTER TRAWL	10	19	13	39	14	8	0	5	4	7	6	11	136	2%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	0	0	0	0	0	0	2	0%
ALL AREAS	465	958	1,022	630	609	503	446	343	359	592	563	519	7,008	100%
OTTER TRAWL	465	922	1,000	624	607	502	445	343	359	591	559	519	6,935	99%
GILLNET	0	29	15	6	2	1	1	0	0	0	0	0	53	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	6	7	0	1	0	1	0	0	1	3	0	20	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2004 April 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 03 - Apr 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - Apr 04	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,400	1,397	100%	3	0%	1,396	100%	1	0%	0	0%	4	0%
Gloucester, MA	1,855	1,849	100%	5	0%	1,817	98%	37	2%	0	0%	0	0%
Boston, MA	644	644	100%	0	0%	644	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,526	1,500	98%	26	2%	1,524	100%	0	0%	0	0%	1	0%
Point Judith, RI	106	70	66%	36	34%	106	100%	0	0%	0	0%	0	0%
MAINE	1,819	1,815	100%	3	0%	1,814	100%	1	0%	0	0%	4	0%
NEW HAMPSHIRE	170	170	100%	0	0%	168	99%	2	1%	0	0%	0	0%
MASSACHUSETTS	4,749	4,715	99%	33	1%	4,686	99%	50	1%	0	0%	13	0%
RHODE ISLAND	202	162	80%	40	20%	199	98%	0	0%	0	0%	3	2%
CONNECTICUT	11	7	63%	4	37%	11	98%	0	0%	0	0%	0	0%
NEW YORK	11	0	0%	10	96%	11	100%	0	0%	0	0%	0	0%
NEW JERSEY	41	0	0%	41	100%	41	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	5	0	0%	5	100%	5	98%	0	0%	0	0%	0	0%
TOTAL	7,008	6,870	98%	138	2%	6,935	99%	53	1%	0	0%	20	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 -	APR 04
	1000 Lbs	1000 Lbs	Percent											
GULF OF MAINE/ GB	5	0	0	1	0	0	0	5	10	16	7	9	53	35%
OTTER TRAWL	5	0	0	1	0	0	0	5	10	16	7	9	53	35%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
SNE/ MID-ATLANTIC	18	6	4	5	2	3	3	7	8	12	15	16	97	65%
OTTER TRAWL	17	5	4	5	2	3	3	7	8	12	14	15	96	63%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	1	1	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
ALL AREAS	22	6	4	6	2	3	3	13	19	28	22	24	151	100%
OTTER TRAWL	22	6	4	6	2	3	3	13	19	28	22	24	149	99%
GILLNET	0		0	0	0	0	0	0	0	0	0	1	1	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2004 April 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 03 - Apr 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF OI	FMAINE	SOUTHE ENGI	RN NEW LAND	OTTER	TRAWL	GILI	_NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
Boston, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
New Bedford, MA	42	41	98%	1	0%	42	100%	0	0%	0	0%	0	0%
Point Judith, RI	28	5	20%	22	80%	28	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	45	44	98%	1	2%	45	99%	0	0%	0	0%	0	0%
RHODE ISLAND	32	7	22%	25	78%	32	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	1	0%	2	76%	3	100%	0	0%	0	0%	0	0%
NEW YORK	44	0	0%	44	99%	44	99%	0	0%	0	0%	0	0%
NEW JERSEY	25	0	0%	25	100%	24	98%	1	0%	0	0%	0	0%
OTHER NORTHEAST	1	0	0%	1	100%	1	0%	1	0%	0	0%	0	0%
TOTAL	151	53	35%	97	65%	149	99%	1	1%	0	0%	1	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

																2003/	/2004*
		MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03	- APR 04	May03-Apr04 as a % of	Target TAC
		1000 Lbs	1000 Lbs	Percent	Target TAC	1000 Lbs											
ATLANTIC POLLOCK	2003/2004	565	889	902	802	733	768	1,039	1,087	906	876	1,303	689	10,560	23%	17%	
REDFISH	2003/2004	61	64	67	75	81	85	59	37	72	57	148	39	846	2%	1%	
WHITE HAKE	2003/2004	1,025	836	1,036	1,007	804	790	686	546	604	734	830	464	9,362	21%	15%	
AMERICAN PLAICE	2003/2004	275	791	528	610	543	438	396	325	268	236	261	208	4,879	11%	8%	
WINTER FLOUNDER	2003/2004	1,920	1,982	1,987	1,093	950	1,077	1,228	873	222	170	340	751	12,593	28%	21%	l
WITOU EL QUINDED	0000/0004	405	050	4.000	000	200	500	440	0.40	050	500	500	540	7 000	450/	440/	1
WITCH FLOUNDER	2003/2004	465	958	1,022	630	609	503	446	343	359	592	563	519	7,008	15%	11%	l
WINDOWDANE ELDE	2002/2004	22	•				•		42	40	20	20	24	454	00/	00/	1
WINDOWPANE FLDR	2003/2004	22	6	4	6	2	3	3	13	19	28	22	24	151	0%	0%	
ALL 7 SPECIES - TOTAL	2003/2004	4.333	5.527	5,546	4.222	3.722	3,663	3.857	3,225	2 4 4 0	2.694	3.466	2 605	45 200	100%	74%	61 220
ALL / SPECIES - TOTAL	2003/2004	4,333	5,327	5,546	4,222	3,722	3,063	ა,ძე/	3,225	2,449	2,094	ა,400	2,695	45,399	100%	14%	61,329

Landings in live weight.

State landings for 2003 have been updated and are complete.

Gear data are based on vessel trip reports.
 State landings for CT are estimated for the Jan. 2004 - Apr. 2004 period.

Fishing Year is May 1 through April 30.
 For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03	- APR 04
	1000 Lbs	1000 Lbs	Percent											
GULF OF MAINE	80	21	1,069	1,152	799	426	299	89	55	8	6	10	4,015	20%
OTTER TRAWL	80	9	1,050	1,146	794	404	243	82	54	8	6	10	3,888	20%
GILLNET	0	3	7	5	5	8	12	0	0	0	0	0	40	0%
HOOK	0	9	12	0	0	0	0	0	0	0	0	0	22	0%
OTHER GEARS	0	0	0	0	0	14	45	7	0	0	0	0	65	0%
SNE/ MID-ATLANTIC	1,137	1,740	1,305	1,119	1,918	1,290	1,002	1,286	1,096	1,219	1,863	634	15,610	80%
OTTER TRAWL	1,135	1,740	1,281	1,119	1,918	1,290	1,002	1,284	1,095	1,219	1,862	634	15,579	79%
GILLNET	1	0	24	0	0	0	0	2	0	0	1	0	30	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	1,217	1,761	2,374	2,271	2,717	1,717	1,301	1,376	1,150	1,227	1,869	644	19,624	100%
OTTER TRAWL	1,215	1,749	2,331	2,265	2,712	1,694	1,245	1,366	1,150	1,227	1,868	644	19,467	99%
GILLNET	1	3	31	5	5	9	12	3	0	0	1	0	70	0%
HOOK	0	9	12	0	0	0	0	0	0	0	0	0	22	0%
OTHER GEARS	0	0	0	0	0	14	45	7	0	0	0	0	65	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. 2004 April 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 03 - Apr 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	3	3	100%	0	0%	2	75%	0	0%	1	0%	0	0%
Gloucester, MA	515	502	97%	13	3%	463	90%	30	6%	21	4%	0	0%
Boston, MA	31	13	40%	19	60%	31	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,614	1,726	31%	3,888	69%	5,612	100%	2	0%	0	0%	0	0%
Point Judith, RI	5,717	707	12%	5,010	88%	5,717	100%	0	0%	0	0%	0	0%
MAINE	3	3	100%	0	0%	2	76%	0	0%	1	0%	0	0%
NEW HAMPSHIRE	183	183	100%	0	0%	179	98%	4	2%	0	0%	0	0%
MASSACHUSETTS	6,477	2,554	39%	3,923	61%	6,354	98%	36	1%	22	0%	65	1%
RHODE ISLAND	6,281	717	11%	5,564	89%	6,257	100%	24	0%	0	0%	0	0%
CONNECTICUT	2,255	197	9%	2,058	91%	2,255	100%	0	0%	0	0%	0	0%
NEW YORK	4,146	361	9%	3,785	91%	4,144	100%	2	0%	0	0%	0	0%
NEW JERSEY	275	0	0%	275	100%	274	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	5	0	0%	5	95%	2	36%	3	64%	0	0%	0	0%
TOTAL	19,624	4,015	20%	15,610	80%	19,467	99%	70	0%	22	0%	65	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

															2003/2	2004*
	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03	- APR 04	May03-Apr04 as a % of Target TAC	Target TAC
	1000 Lbs	1000 Lbs	Percent	70 OF Target TAO	1000 Lbs											
NORTHERN	1,550	2,720	2,621	2,777	2,569	3,264	2,916	2,086	1,891	3,021	3,464	1,995	30,874	54%	79%	39,039
OTTER TRAWL	1,376	1,731	1,399	1,342	1,712	2,530	2,226	1,786	1,810	2,909	3,378	1,919	24,118	42%	62%	
GILLNET	170	959	1,088	1,243	829	713	649	279	80	109	77	75	6,272	11%	16%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	4	29	133	192	28	22	41	20	1	3	9	0	482	1%	1%	
SOUTHERN	4,360	4,333	1,598	1,072	561	1,702	3,307	2,118	2,397	1,807	1,170	1,660	26,085	46%	116%	22,511
OTTER TRAWL	245	288	271	552	338	267	322	196	188	356	292	151	3,465	6%	15%	
GILLNET	3,851	3,788	1,051	224	119	1,145	2,657	1,727	1,803	1,274	730	1,345	19,711	35%	88%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	264	257	276	296	105	290	328	195	406	177	149	164	2,908	5%	13%	
ALL AREAS	5,910	7,053	4,218	3,849	3,130	4,967	6,223	4,204	4,287	4,828	4,634	3,655	56,958	100%	93%	61,551
OTTER TRAWL	1,621	2,019	1,670	1,894	2,049	2,797	2,547	1,982	1,998	3,265	3,670	2,070	27,583	48%	45%	
GILLNET	4,021	4,747	2,139	1,467	948	1,858	3,306	2,006	1,883	1,383	806	1,420	25,983	46%	42%	
HOOK	0	0	0	0	0	0	0	1	0	0	0	0	2	0%	0%	
OTHER GEARS	268	286	409	488	133	312	370	215	407	180	157	164	3,390	6%	6%	

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. State landings for 2003 have been updated and are complete.

4. State landings for CT are estimated for the Jan. 2004 - April 2004 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 03 - Apr 04

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 03 - APR 04	NORT	HERN	SOUT	HERN	OTTER	TRAWL	GILL	NET	НО	ок	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent										
Portland, ME	9,180	9,130	99%	49	1%	8,852	96%	326	4%	1	0%	2	0%
Gloucester, MA	6,257	6,174	99%	83	1%	3,563	57%	2,681	43%	0	0%	13	0%
Boston, MA	2,734	2,723	100%	11	0%	2,734	100%	0	0%	0	0%	0	0%
New Bedford, MA	12,439	6,417	52%	6,022	48%	6,686	54%	3,486	28%	0	0%	2,267	18%
Point Judith, RI	3,350	101	3%	3,250	97%	1,215	36%	2,078	62%	0	0%	58	2%
MAINE	11,224	11,166	99%	58	1%	10,696	95%	520	5%	1	0%	7	0%
NEW HAMPSHIRE	1,532	1,532	100%	0	0%	104	7%	1,423	93%	0	0%	5	0%
MASSACHUSETTS	25,360	17,010	67%	8,350	33%	13,660	54%	9,389	37%	1	0%	2,311	9%
RHODE ISLAND	7,191	1,132	16%	6,059	84%	2,287	32%	4,725	66%	0	0%	179	2%
CONNECTICUT	942	16	2%	926	98%	138	15%	567	60%	0	0%	238	25%
NEW YORK	1,712	3	0%	1,709	100%	286	17%	1,420	83%	1	0%	5	0%
NEW JERSEY	7,320	14	0%	7,306	100%	137	2%	6,739	92%	0	0%	444	6%
OTHER NORTHEAST	1,677	1	0%	1,676	100%	274	16%	1,201	72%	0	0%	202	12%
TOTAL	56,958	30,874	54%	26,085	46%	27,583	48%	25,983	46%	2	0%	3,390	6%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the Jan. 2004 Apr. 2004 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	1													
	MAR - 2003	APR - 2003	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR 03	- FEB 04
	1000 Lbs	1000 Lbs	Percent											
GULF OF MAINE	67	106	67	43	35	15	22	18	16	11	9	59	469	1%
OTTER TRAWL	3		1	1	1	1	0	0	1	1	1	5	15	0%
DREDGE	65	104	66	42	33	14	21	16	15	10	9	54	451	1%
OTHER GEARS	0	0	0	0	1	0	1	1	0	0	0	0	3	0%
SOUTH CHANNEL	532	410	338	691	1,412	811	432	240	291	538	104	357	6,156	11%
OTTER TRAWL	0	_		1	3		1	1		0	-		31	0%
DREDGE	531	410		690	1,409	810		240		538			6,125	11%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	U	0	0%
GEORGES BANK NOR	44	379	894	518	238	356	0	8	15	24	49	162	2,687	5%
OTTER TRAWL	0	0	1	0	0	0	0	0	2	0	0	0	3	0%
DREDGE	44	379	894	518	238	355	0	8	13	24	49	162	2,684	5%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK SOU		56	83	146	497	434	113	108	47	43	136	21	1,688	3%
OTTER TRAWL	0			0		·		-		ŭ			1	0%
DREDGE	5			146	497	434		108		43		21	1,687	3%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
S. NEW ENGLAND	35	20	19	0	27	0	0	1	26	10	0	17	155	0%
OTTER TRAWL	0	0	4	0	0	0	0	1	0	0	0	0	6	0%
DREDGE	35	20	15	0	27	0	0	0	26	10	0	17	149	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
NEW YORK BIGHT	2.323	2,223	2,743	2,730	1,770	982	1,490	2,368	1,458	677	594	789	20,147	35%
OTTER TRAWL	2,323	2,223	48	2,730	45		1,430	,	-	3		19	20,147	0%
DREDGE	2.298	2.194	2.696	2.699	1.725			2.366		674			19.926	35%
OTHER GEARS	2,230	2,134	,	2,033	, -		0,400	,	, -				13,320	0%
					_	-		-		-	-			
DE / MD / VA	969	1,546	3,207	3,476	3,172	3,299	1,753	2,785	1,895	953	580	1,432	25,065	44%
OTTER TRAWL	89	107	457	468	486	435		300	159	34	15	32	2,740	5%
DREDGE	880	1,438	2,750	3,008	2,686	2,864	, , , ,	2,485	1,736	919			22,325	39%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
VA / NC	11	26	109	44	55	96	14	28	50	0	13	18	464	1%
OTTER TRAWL	11	20		5						0			37	0%
DREDGE	10			39						0			427	1%
OTHER GEARS	0			0						0			0	0%
ALL AREAS	3,986	4,764	7,460	7,648	7,207	5,993	3,824	5,555	3,797	2,257	1,485	2,855	56,831	100%
OTTER TRAWL	119			506		447	164	306	175	38			3,053	5%
DREDGE	3,868	4,626	-,	7,142	6,655	5,545	3,659	5,247	3,622	2,218	1,465	2,797	53,774	95%
OTHER GEARS	0	0	0	0	1	0	1	2	0	0	0	0	4	0%

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
Georges Bank North: 561-562; Georges Bank South: 525
Southern New England: 537-539; New York Bight: 611-616
DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

- 2. Landings in meat weight.
- 3. State landings for 2003 have been updated and are complete.
- 4. State landings for CT are estimated for the Jan. Feb. 2004 period.
- 5. Gear data are based on vessel trip reports.
- * Fishing Year is March 1 through February 28.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 03 - Feb. 04

									STO	CK AREA	S						
PORT/ STATE	MAR 03 - FEB 04	GULF OF	MAINE	SOUTH C	HANNEL	GEORGE NOF	-	GEORGE SOL	-		RN NEW _AND	NEW YOR	RK BIGHT	DELM	IARVA	_	A / NORTH OLINA
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	24,659	43	0%	5,571	23%	2,610	11%	1,688	7%	139	1%	11,777	48%	2,804	11%	26	0%
Cape May, NJ	7,188	3	0%	0	0%	0	0%	0	0%	0	0%	2,756	38%	4,404	61%	24	0%
Norfolk, VA	17,582	0	0%	21	0%	0	0%	0	0%	10	0%	1,156	7%	16,022	91%	373	2%
MAINE	89	35	39%	51	57%	3	3%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	100	12	12%	87	88%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	25,517	419	2%	5,995	23%	2,621	10%	1,688	7%	143	1%	11,813	46%	2,812	11%	26	0%
RHODE ISLAND	74	0	0%	1	0%	7	10%	0	0%	1	0%	65	88%	0	0%	0	0%
CONNECTICUT	1,880	0	0%	1	0%	56	3%	0	0%	0	0%	1,770	94%	53	3%	0	0%
NEW JERSEY	10,810	3	0%	1	0%	0	0%	0	0%	0	0%	5,286	49%	5,495	51%	24	0%
VIRGINIA	18,083	0	0%	21	0%	0	0%	0	0%	10	0%	1,178	7%	16,462	91%	412	2%
OTHER NORTHEAST	279	0	0%	0	0%	0	0%	0	0%	0	0%	35	13%	242	87%	1	0%
TOTAL	56,831	469	1%	6,156	11%	2,687	5%	1,688	3%	155	0%	20,147	35%	25,065	44%	464	1%

				GEAR	TYPES		
PORT/ STATE	MAR 03 - FEB 04	OTTER	TRAWL	DRE	DGE	OTHER	GEARS
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	24,659	9	0%	24,649	100%	0	0%
Cape May, NJ	7,188	1,003	14%	6,185	86%	0	0%
Norfolk, VA	17,582	1,618	9%	15,965	91%	0	0%
MAINE	89	3	3%	84	94%	2	2%
NEW HAMPSHIRE	100	0	0%	99	100%	0	0%
MASSACHUSETTS	25,517	30	0%	25,486	100%	1	0%
RHODE ISLAND	74	2	3%	72	97%	0	0%
CONNECTICUT	1,880	1	0%	1,879	100%	0	0%
NEW JERSEY	10,810	1,070	10%	9,739	90%	1	0%
VIRGINIA	18,083	1,836	10%	16,247	90%	0	0%
OTHER NORTHEAST	279	112	40%	167	60%	0	0%
TOTAL	56,831	3,053	5%	53,774	95%	4	0%

 The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562,
Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616,
Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. State landings for CT are estimated for the Jan. 2004 Feb. 2004 period.
- 3. Landings in meat weight.
- 4. Gear data are based on vessel trip reports.